

Makita[®]

OUTDOOR POWER EQUIPMENT CATALOGUE

JULY 2025



Outdoor Power Equipment

	110V
	240V
	Electronic ignition
	Variable speed trigger
	Soft start
	Electronic brake
	Inertia brake
	Automatic chain brake
	Anti-Vibration system
	Tool-less blade change
	Decompressor
	4 stroke
	Double insulated

New Products

1

Cordless Garden Products

	XGT	LXT	CXT
Chainsaws	10	23	-
Earth Auger	17	25	-
Split-Shaft	12	26	-
Brush Cutters	12	28	-
Linetrimmers	13	28	-
Blowers	16	32	-
Hedge Trimmers	18	35	37
Pruning Saw	19	38	38
Pruning Shears	-	38	39
Sprayers	-	40	40
Grass Shears	-	41	41
Wheelbarrow	-	42	-
Lawn Mowers	20	44	-

Mains Electric Garden Products

Chainsaws	50
Shredder	50
Hedge Trimmers	51
Linetrimmers	51
Lawn Mowers	52
Scarifiers	53



Next Generation Technology



Anti-Vibration Technology



Quick Change Grinding Blades



Lithium-ion Extreme Technology



Deep Exact Cutting Technology



Back-Pack Battery Connection X



Compact Extreme Technology



Automatic Torque Drive Technology



Brushless Motor



Active Feedback Sensing Technology



Auto-Start Wireless System



Suppression of Motor Speed when Idling

Makita (UK) Ltd, Michigan Drive, Tongwell, Milton Keynes, Bucks, MK15 8JD Tel: 01908 211678

Accessories shown are not necessarily supplied as standard equipment.
Specification shown may change owing to our policy of constant improvement.
Machines shown conform to CE Marking Regulations.
Errors and Omissions Excepted (E&OE).
Subject to availability.



makitauk.com
for the latest noise
and vibration figures

40V Max XGT Blower
UB002GZ01
Page 16



NEW

40V Max XGT Brushless Pruning Saw 150mm
UC029GZ02
Page 19



NEW

Blower Split Shaft Attachment
UB403MP
Page 26



NEW

BATTERIES & CHARGERS



BATTERIES & CHARGERS

BATTERIES				CHARGERS			
BL4020 (191L29-0) XGT 2.0 Ah		BL4025 (191B36-3) XGT 2.5 Ah		BCC01 (-) XGT 8 Port		DC40RA (191E08-6) (191N22-6) XGT 1 Port	
BL4040 (191B26-6) XGT 4.0 Ah		BL4040F (1910N6-8) XGT 4.0 Ah		DC40RB (191N14-5) (191N07-2) XGT 2 Port		DC40R (191M92-9) (191M89-8) XGT 1 Port	
BL4050F (191L47-8) XGT 5.0 Ah		BL4080F (191X65-8) XGT 8.0 Ah		DC40WA (-) XGT 2 Port		DC18RC (-) LXT 1 Port	
BL1830B (197599-5) LXT 5.0 Ah		BL1840B (197265-4) LXT 5.0 Ah		DC18RD (-) LXT 2 Port		DC18SD (-) LXT 1 Port	
BL1850B (197280-8) LXT 5.0 Ah		BL1860B (197422-4) LXT 5.0 Ah		DC18SH (199688-2) LXT 2 Port		DC18SF (-) LXT 4 Port	

		DC40RA		DC18RC		DC18SD		
		BCC01	DC40RB	DC40RC	DC40WA	DC18RD	DC18SH	DC18SF
LXT	3.0Ah	BL1830B (197599-5) 80 ^A - 160 ^B minutes <small>A: 4 Ports B: 8 Ports *with ADP10 Adaptor</small>	22 minutes <small>*with ADP10 Adaptor</small>	42 minutes <small>*with ADP10 Adaptor</small>		22 minutes <small>1-2 Batteries</small>	60 minutes	60 ^A - 120 ^B minutes <small>A: 1-2 Ports B: 3-4 Ports</small>
	4.0Ah	BL1840B (197265-4) 110 ^A - 220 ^B minutes <small>A: 4 Ports B: 8 Ports *with ADP10 Adaptor</small>	29 minutes <small>*with ADP10 Adaptor</small>	58 minutes <small>*with ADP10 Adaptor</small>		36 minutes <small>1-2 Batteries</small>	90 minutes	90 ^A - 180 ^B minutes <small>A: 1-2 Ports B: 3-4 Ports</small>
	5.0Ah	BL1850B (197280-8) 135 ^A - 270 ^B minutes <small>A: 4 Ports B: 8 Ports *with ADP10 Adaptor</small>	35 minutes <small>*with ADP10 Adaptor</small>	70 minutes <small>*with ADP10 Adaptor</small>		45 minutes <small>1-2 Batteries</small>	110 minutes	110 ^A - 220 ^B minutes <small>A: 1-2 Ports B: 3-4 Ports</small>
	6.0Ah	BL1860B (197422-4) 160 ^A - 320 ^B minutes <small>A: 4 Ports B: 8 Ports *with ADP10 Adaptor</small>	40 minutes <small>*with ADP10 Adaptor</small>	85 minutes <small>*with ADP10 Adaptor</small>		55 minutes <small>1-2 Batteries</small>	130 minutes	130 ^A - 260 ^B minutes <small>A: 1-2 Ports B: 3-4 Ports</small>
XGT	2.0Ah	BL4020 (191L29-0) 75 ^A - 150 ^B minutes <small>A: 4 Ports B: 8 Ports</small>	22 minutes	30 minutes	110 minutes <small>1-2 Batteries</small>			
	2.5Ah	BL4025 (191B36-3) 90 ^A - 180 ^B minutes <small>A: 4 Ports B: 8 Ports</small>	28 minutes	38 minutes	130 minutes <small>1-2 Batteries</small>			
	4.0Ah	BL4040 (191B26-6) 145 ^A - 290 ^B minutes <small>A: 4 Ports B: 8 Ports</small>	45 minutes	67 minutes	210 minutes <small>1-2 Batteries</small>			
	4.0Ah	BL4040F (1910N6-8) 145 ^A - 290 ^B minutes <small>A: 4 Ports B: 8 Ports</small>	45 minutes	67 minutes	210 minutes <small>1-2 Batteries</small>			
	5.0Ah	BL4050F (191L47-8) 175 ^A - 350 ^B minutes <small>A: 4 Ports B: 8 Ports</small>	50 minutes	85 minutes	260 minutes <small>1-2 Batteries</small>			
	8.0Ah	BL4080F (191X65-8) 280 ^A - 560 ^B minutes <small>A: 4 Ports B: 8 Ports</small>	72 minutes	128 minutes	240 minutes <small>1-2 Batteries</small>			



ADP10 (191C10-7)
Battery Adaptor

POWER SOURCE KITS



Part Number	Description
1910A1-7	XGT 40V 8.0Ah - BL4080F x2 Batteries, DC40RB 110V Charger & Makpac Type 3
1910A2-5	XGT 40V 8.0Ah - BL4080F x2 Batteries, DC40RB 240V Charger & Makpac Type 3
1910B0-6	XGT 40V 8.0Ah - BL4080F x4 Batteries, DC40RB 110V Charger & Makpac Type 3
1910B1-4	XGT 40V 8.0Ah - BL4080F x4 Batteries, DC40RB 240V Charger & Makpac Type 3
191J85-8	XGT 40V 2.5Ah - BL4025 x2 Batteries, DC40RA 240V Charger & Makpac Type 1
191M71-7	XGT 40V 4.0Ah - BL4040 x2 Batteries, DC40RA, 110V Charger & Makpac Type 1
191K01-6	XGT 40V 4.0Ah - BL4040 x2 Batteries, DC40RA 240V Charger & Makpac Type 1
191U05-8	XGT 40V 4.0Ah - BL4040 x2 Batteries, DC40RB 110V Charger & Makpac Type 3
191U06-6	XGT 40V 4.0Ah - BL4040 x2 Batteries, DC40RB 240V Charger & Makpac Type 3
191U19-7	XGT 40V 5.0Ah - BL4050F x2 Batteries, DC40RB 110V Charger & Makpac Type 3
191U20-2	XGT 40V 5.0Ah - BL4050F x2 Batteries, DC40RB 240V Charger & Makpac Type 3
191U33-3	XGT 40V 4.0Ah - BL4040 x4 Batteries, DC40RB 110V Charger & Makpac Type 3
191U34-1	XGT 40V 4.0Ah - BL4040 x4 Batteries, DC40RB 240V Charger & Makpac Type 3
191U47-2	XGT 40V 5.0Ah - BL4050F x4 Batteries, DC40RA 240V Charger & Makpac Type 3
191U48-0	XGT 40V 5.0Ah - BL4050F x4 Batteries, DC40RB 240V Charger & Makpac Type 3
191V42-8	XGT 40V 5.0Ah - BL4050F x2 Batteries DC40RA 240V Charger & Makpac Type 2
191V30-5	XGT 40V 2.5Ah - BL4025 x2 Batteries, DC40RC 110V Charger & Makpac Type 1
191V31-3	XGT 40V 2.5Ah - BL4025 x2 Batteries, DC40RC 240V Charger & Makpac Type 1
198095-6	LXT 18V 6.0Ah - BL1860B x4 Batteries, DC18RD 240V Charger & Makpac Type 3
198119-8	LXT 18V 6.0Ah - BL1860B x2 Batteries, DC18RC 240V Charger & Makpac Type 1
197627-6	LXT 18V 5.0Ah - BL1850B x4 Batteries, DC18RD 240V Charger & Makpac Type 3
197803-2	LXT 18V 5.0Ah - BL1850B x2 Batteries, DC18RC 240V Charger & Makpac Type 3
191L71-1	LXT 18V 4.0Ah - BL1840B x2 Batteries, DC18RC 240V Charger & Makpac Type 1
197974-5	LXT 18V 3.0Ah - BL1830B x2 Batteries, DC18RC 240V Charger & Makpac Type 1
1911C8-3	XGT 40V 4.0Ah - BL4040F x 2 Batteries, DC40RA 110V Charger & Makpac Type 1
1911C9-1	XGT 40V 4.0Ah - BL4040F x 2 Batteries, DC40RA 240V Charger & Makpac Type 1
1911E6-1	XGT 40V 4.0Ah - BL4040F x 2 Batteries, DC40RB 110V Charger & Makpac Type 3
1911E7-9	XGT 40V 4.0Ah - BL4040F x 2 Batteries, DC40RB 240V Charger & Makpac Type 3
1911G4-9	XGT 40V 4.0Ah - BL4040F x 4 Batteries, DC40RB 110V Charger & Makpac Type 3
1911G5-7	XGT 40V 4.0Ah - BL4040F x 4 Batteries, DC40RB 240V Charger & Makpac Type 3

12V Max CXT Lithium-ion		CXT		DC10SB	DC10WD
4.0 Ah	BL1041B (197406-2)			60 Minute Charge	130 Minute Charge
	BL1021B (197396-9)			30 Minute Charge	70 Minute Charge
	BL1016B (197393-5)			22 Minute Charge	50 Minute Charge
7.2V Lithium-ion				DC10WA	
1.0 Ah	BL0715 (198000-3)			50 Minute Charge	
64V Lithium-ion				DC64WA (191W23-8)	
4.0 Ah	BL6440 (191R06-8)			120 Minute Charge	

Battery capacity measured in line with battery directive 2006/66/EC and EU regulations 11/03/2010. Li-ion IEC61960.

BATTERIES & CHARGERS

Power Pack LXT Lithium-ion



PDC01



18V x2 LXT Adaptor
191J51-5



18V LXT Adaptor
191J50-7

22-55

Minute Charge

See 18V LXT Battery
chart for more information


191A64-2 - Includes LXT power pack and 18V x2 adaptor. (18V batteries not included)
191A59-5 - Includes LXT power pack, 18V adaptor and 18V x2 adaptor. (18V batteries not included)
191C91-1 - Includes LXT power pack, 4x 5.0Ah 18V LXT batteries, 18V charger and 18V x2 adaptor

Power Pack Lithium-ion



PDC1500

PDC1200



18V x2 LXT Adaptor
191J51-5



40V XGT Adaptor
191N62-4

DC4001



6

Hour Charge
PDC1200

7.5

Hour Charge
PDC1500

PDC1500A01 - Includes 1,500Wh Battery power pack, DC4001 charger.
PDC1200A01 - Includes 1,200Wh battery power pack, DC4001 charger and 18V x2 adaptor
PDC1200A02 - Includes 1,200Wh battery power pack and DC4001 charger

Power Converter for PDC1200 & PDC01 Portable Power Supplies

BAC01



PDC01

- Powered by the portable power supplies units PDC1200 and PDC01.
- Converts DC power into AC power.
- LED lamps output indication
- Connects to the Makpac system
- Continuous 1,400W / Peak 2,800W
- AC Output Voltage 220V (50/60 Hz)
- UK AC Socket x2
- USB-A x2 (5V, 2.4A)
- USB-C x2 (PD 30W)
- Automotive Socket x1 (12V, 10A)



18V
Lithium-ion G-Series

14.4V
Lithium-ion G-Series

DC18WA

1.3
Ah

BL1820G
(191N69-0)



BL1415G
(198192-8)



60

Minute Charge

BATTERIES & CHARGERS

PDC1500 & PDC1200

With integrated battery cells



PDC1500

A **⚡** **⏪**
43.55Ah 1,500Wh 1.2m

PDC1200

A **⚡** **⏪**
33.5Ah 1,200Wh 1.1m

PDC01

Use with 4x 18V batteries



A **⚡** **⏪**
12 - 24Ah 432Wh 1.7m

CONNECTX
Direct Connection



CONNECTX
40V max

191N62-4



LXT 36V
18V+18V

191J51-5



18V
LITHIUM-ION

191J50-7



WHY CHOOSE XGT

Through Makita's innovative engineering, the technology within the XGT system will create the equipment and tools of the future. Tools equivalent to petrol or mains power with zero emissions and no trailing cables, XGT is safer and better for the environment.

Digital communication between battery and charger, and battery and tool - reduces charge times and protects batteries and tools from damage prolonging their life.



XGT 80Vmax
40Vmax + 40Vmax



XGT 40Vmax



160+ PRODUCTS ONE SYSTEM



POWER



PURE COPPER WIRE

Makita® XGT® Products feature purpose-built brushless motors with more copper windings for increased power output.

RARE EARTH MAGNETS

Rare earth magnets of the highest quality are engineered within the brushless motors to maximise power and performance.

SMART



BUILT-IN MICROCHIPS

Built-in microchips in both tool and battery allow for real-time digital communication, actively monitoring heat, overload, and over-discharge.

DIGITAL COMMUNICATION

Digital communication between XGT® Tools and Batteries through enhanced digital communication technology optimise performance to deliver up to 2X longer sustained power during demanding applications.

TOUGH



IMPACT ABSORBENT STRUCTURE

Durable outer casing and cell holder create space within the battery to absorb impact.

WATER & DUST RESISTANCE

Water and dust-resistant triple layer structure and an enhanced terminal structure are engineered to protect against water and dust for any job site condition.

RAPID



MULTI-LAYER SURFACE CONTACTS

Multi-layer surface contacts within tool and battery are designed to take on high current demands.

RAPID OPTIMUM CHARGING SYSTEM

XGT® Charger and Dual Cooling Fans digitally communicate before and during the charging process, evaluating battery condition to deliver a consistent fast charge. Charges LXT® batteries with adapter.

40V & 80V XGT THE MOST POWERFUL SYSTEM



OVER 160 PRODUCTS



40V Max XGT Brushless Chainsaw

UC011G

Max Output	1,600 W
Bar Length	350 mm
Chain Type	80TXL
Chain Pitch	0.325"
Chain Gauge	0.043"
Chain Speed	0 – 25.5 m/s
Oil Tank Capacity	260 ml
Net Weight	6.1 – 7.4 Kg



Model Versions

UC011GT201 2x 5.0Ah

UC011GZ Body Only

STANDARD EQUIPMENT: Fast charger, battery cartridges, guide bar, oil supply, chain cover, saw chain, wrench

40V Max XGT Brushless Chainsaw

UC014G/
015G/016G

Max Output	1,600 W	Chain Pitch	0.325"
Bar Length	UC014G: 300 mm	Chain Gauge	0.043"
	UC015G: 350 mm	Chain Speed	0 – 25.5 m/s
	UC016G: 400 mm	Oil Tank Capacity	260 ml
Chain Type	80TXL	Net Weight	6.2 – 7.5 Kg



Model Versions

UC014GT201 2x 5.0Ah

UC014GZ Body Only

UC015GT201 2x 5.0Ah

UC015GZ Body Only

UC016GT201 2x 5.0Ah

UC016GZ Body Only

STANDARD EQUIPMENT: Fast charger, battery cartridges, guide bar, oil supply, chain cover, saw chain, wrench

40V Max XGT Brushless Chainsaw

UC024G/
025G/026G

Max Output	1,600 W	Chain Gauge	1.1mm
Bar Length	UC024G: 300 mm	Chain Speed	0 – 25.5 m/s
	UC025G: 350 mm	Net Weight	UC024G 4.7 - 5.3kg
	UC026G: 400 mm		UC025G 4.7 - 5.4kg
Chain Type	80TXL		UC026G 4.8 - 5.4kg
Chain Pitch	0.325"		

ANTI-RESTART FUNCTION
ANTI-FALL CAPTIVE NUT



Model Versions

UC024GT101 1x 5.0Ah

UC024GZ Body Only

UC025GT101 1x 5.0Ah

UC025GZ Body Only

UC026GT101 1x 5.0Ah

UC026GZ Body Only

STANDARD EQUIPMENT: Fast charger, battery cartridge, saw chain, wrench, guide bar, guide bar case, oil supply.

40V Max XGT Brushless Chainsaw

UC022G

Max Output	1,600 W	TOOL-LESS CHAIN CHANGE ANTI-RESTART FUNCTION
Bar Length	350mm	
Chain Type	80TXL	
Chain Pitch	0.325"	
Chain Gauge	1.1mm	
Chain Speed	0 – 25.5 m/s	
Oil Tank Capacity	260 ml	
Net Weight	4.8 - 5.4kg	



Model Versions

UC022GT101 1x 5.0Ah

UC022GZ Body Only

STANDARD EQUIPMENT: Fast charger, battery cartridge, saw chain, wrench, guide bar, guide bar case, oil supply

40V Max XGT Brushless Top Handle Chainsaw

UC006G

Max Output	1,400 W
Bar Length	250 mm
Chain Type	25AP-60
Chain Pitch	1/4"
Chain Gauge	0.050"
Chain Speed	0 – 24.8 m/s
Oil Tank Capacity	200 ml
Net Weight	3.8 – 4.7 Kg

TO BE USED BY TRAINED
TREE SURGEONS ONLY



Model Versions

UC006GZ Body Only

STANDARD EQUIPMENT: Guide bar, saw chain, wrench, oil supply

40V Max XGT Brushless Top Handle Chainsaw

UC002G
UC003G

Max Output	1,400 W
Bar Length	250mm (UC002G) 300 mm (UC003G)
Chain Type	90PX
Chain Pitch	3/8"
Chain Gauge	0.043"
Chain Speed	0 – 24.8 m/s
Oil Tank Capacity	200 ml
Net Weight	3.8 – 4.7 Kg

TO BE USED BY TRAINED
TREE SURGEONS ONLY



Model Versions

UC002GD202 2x 2.5Ah

UC002GZ Body Only

UC003GZ Body Only

STANDARD EQUIPMENT: Fast charger, battery cartridges, guide bar, saw chain, wrench, oil supply

40V Max XGT Brushless Telescopic Pole Saw

UA004G

Max output Power	1,500 W
No Load chain speed	0-20 m/s
Bar length	300 mm
Chain type	91PX
Chain Pitch	3/8"
Chain Gauge	0.050"
Oil tank capacity	160ml
Net weight	7.8 - 9.1kg



Model Versions

UA004GD203 2x 2.5Ah

UA004GZ Body Only

STANDARD EQUIPMENT: Fast charger, battery cartridges, saw chain, wrench, hex wrench, band assembly, guide bar, chain cover, round file, oil supply, lubricant

OVERALL LENGTH (EXCL. CHAIN BAR) 2.6 - 3.8 METERS,
TELESCOPIC RANGE 0 - 1.2 METERS



40V Max XGT Brushless Split-Shaft

UX01G

No Load Speed (Hi)	0 - 9,700 rpm
No Load Speed (Med)	0 - 8,200 rpm
No Load Speed (Lo)	0 - 5,700 rpm
Max Output	1,000W
Net Weight	4.2 - 12.6kg

See page A23 for attachments



Model Versions

UX01GZ Body Only

STANDARD EQUIPMENT: Shoulder strap, hex wrench, accessory bag.



40V Max x2 (80V Max) XGT Brushless Brush Cutter

UR012G

Max output	2,000W
Speed Settings	3 speed + ADT mode
No Load Speed (L/M/H)	0 - 3,500 / 5,000 / 6,400 rpm
Spindle Size	M10 x 1.25 L
Cutting Diameter	480mm
Net Weight	8.0 - 9.3kg



Model Versions

UR012GT203 2x 5.0Ah

UR012GZ04 Body Only

STANDARD EQUIPMENT: Nylon cutting head, hex wrench x2, box wrench, shoulder belt, accessory bag, fast charger, battery cartridges.



40V Max XGT Brushless Brush Cutter

UR013G

Max output	1,500W
No Load Speed	3,500 - 6,700rpm
Spindle Size	M10 x 1.25L
Cutting Diameter	450mm
Net Weight	5.9 - 7.2Kg

ANTI-RESTART FUNCTION



Model Versions

UR013GT206 2x 5.0Ah

UR013GZ03 Body Only

STANDARD EQUIPMENT: Fast charger, battery cartridges, Nylon cutting head, shoulder belt, box wrench, hex wrench



40V Max XGT Brushless Linetrimmer

UR014G

Max output	1,500W
No Load Speed	4,000 - 5,700rpm
Spindle Size	M10 x 1.25L
Cutting Diameter	450mm
Net Weight	5.5 - 6.7kg

ANTI-RESTART FUNCTION



Model Versions

UR014GT201 2x 5.0Ah

UR014GZ Body Only

STANDARD EQUIPMENT: Fast charger, battery cartridges, Nylon cutting head, shoulder belt, box wrench, hex wrench



40V Max XGT Brushless Brush Cutter

UR006G

Max output	1,000W
Speed Settings	3 speed + ADT mode
No Load Speed (L/M/H)	0 - 4,600 / 0 - 5,500 / 0-7,000 rpm
Spindle Size	M10 x 1.25 L
Cutting Diameter	430mm
Net Weight	5.7 - 6.3kg



Model Versions

UR006GZ04 Body Only

STANDARD EQUIPMENT: Nylon cutting head, accessory bag, hex wrench, box wrench, shoulder belt.



40V Max XGT Brushless Linetrimmer

UR008G

Max output	1,000W
Speed Settings	3 speed + ADT mode
No Load Speed (L/M/H)	0 - 4,000 / 0 - 4,600 / 0-6,000 rpm
Spindle Size	M10 x 1.25 L
Cutting Diameter	430mm
Net Weight	5.0 - 5.7kg



ADT AFT
XGT BL
MOTOR



Model Versions

UR008GD202 2x 2.5Ah

UR008GZ01 Body Only

STANDARD EQUIPMENT: Fast charger, battery cartridges, Nylon cutting head, accessory bag, hex wrench, shoulder belt.

40V Max XGT Brushless Linetrimmer

UR017G

Max output	600W	ANTI-RESTART FUNCTION
Speed settings	3 speed + ADT mode	
No Load Speed	3,500 / 5,300 / 6,500rpm	
Spindle Size	M10 x 1.25 L	
Cutting Diameter	330mm	
Net Weight	4.2 - 4.8Kg	



ADT AFT
XGT BL
MOTOR



Model Versions

UR017GM101 1x 4.0Ah

UR017GZ Body Only

STANDARD EQUIPMENT: Fast charger, battery cartridge, shoulder belt, box driver, hex wrench

40V Max XGT Brushless Brush Cutter

UR016G

Max output	600W	ANTI-RESTART FUNCTION
Speed settings	3 speed + ADT mode	
No Load Speed	3,500 / 5,300 / 6,500 rpm	
Spindle Size	M10 x 1.25 L	
Cutting Diameter	330 mm	
Net Weight	4.7 - 5.3Kg	



ADT AFT
XGT BL
MOTOR



Model Versions

UR016GM101 1x 4.0Ah

UR016GZ Body Only

STANDARD EQUIPMENT: Fast charger, battery cartridge, shoulder belt, Box wrench, Hex wrench

40V Max XGT Brushless Brush Cutter

UR002G

Max output	550W
Speed Settings	3-speed + ADT mode
No Load Speed (L/M/H)	3,500 / 5,300 / 6,500rpm
Spindle Size	M10 x 1.25 L
Cutting Diameter	350mm
Net Weight	4.6 - 5.3kg



ADT AFT
XGT BL
MOTOR



Model Versions

UR002GD202 2x 2.5Ah

UR002GZ Body Only

STANDARD EQUIPMENT: Fast charger, battery cartridges, Nylon cutting head, accessory bag, hex wrench, box wrench, shoulder belt.

40V Max XGT Brushless Linetrimmer

UR003G

Max output	550W
Speed Settings	3-speed + ADT mode
No Load Speed (L/M/H)	3,500 / 5,300 / 6,500rpm
Spindle Size	M10 x 1.25 L
Cutting Diameter	350mm
Net Weight	4.5 - 4.8kg



ADT AFT
XGT BL
MOTOR



Model Versions

UR003GD202 2x 2.5Ah

UR003GZ Body Only

STANDARD EQUIPMENT: Fast charger, battery cartridges, Nylon cutting head, accessory bag, hex wrench, box driver, shoulder belt.

ACCESSORIES: CUTTING HEADS



198893-8
Cutter Assembly
95-M10L



197296-3
Cutter Assembly
M10X1.25LH



198383-1
Plastic Blade
Head 255 Set

To see the full range of lines and blades visit www.makita.com

40V Max XGT Brushless Edger UE001G

Max output power	1,100W	ANTI-RESTART FUNCTION IPX4 COMPATIBLE CUTTING DEPTH ADJUSTMENT
No Load Speed	0 - 4,800rpm	
Spindle thread size	M10 x 1.25 L	
Cutting width	203mm	
Net Weight	6.1-7.3kg	



Model Versions
UE001GZ Body Only

STANDARD EQUIPMENT: Cap 24, Blade, Box Wrench, Hex Wrench

40V Max XGT Brushless Blower UB001G

No Load Speed	0-20,000rpm (Cruise control mode) 0-23,000 rpm (Boost mode)
Max Air Volume	0-13.5 m³/min (Cruise control mode) 16.0 m³/min (Boost mode)
Max Air Velocity	53 m/sec (Cruise control mode) 64 m/sec (Boost mode)
Net Weight	3.1-3.9kg



Model Versions
UB001GD202 2x 2.5Ah
UB001GZ Body Only

STANDARD EQUIPMENT: Fast charger, battery cartridges, shoulder belt end nozzle, adapter pipe, extension nozzle, flat nozzle.

40V Max XGT Blower UB002G

No Load Speed	0-18,000rpm	ELECTRONIC 3-SPEED
Max Air Volume	3.6 m³/min (Blower) 2.0 m³/min (Vacuum)	
Max Air Velocity	99 m/sec (Standard nozzle) 76 m/sec (Garden nozzle)	
Net Weight	2.0-3.5kg	



Model Versions
UB002GZ01 Body Only

STANDARD EQUIPMENT: Nozzle, garden nozzle

40V Max XGT Brushless Backpack Mist Blower PM001G

No Load Speed	25,000 rpm
Max speed in high speed mode	
Blowing Force	15.0N
Max Air Volume	14.3 m³/min
Average air speed	53.0 m/s
Max air speed	64.0 m/s
Max spray range (horizontal)	14 m
Tank Capacity	15L
Net Weight	13.2 - 15.7Kg



Model Versions
PM001GL202 2x 8.0Ah
PM001GZ01 Body Only

STANDARD EQUIPMENT: Fast charger, battery cartridges, Nozzle 0.5, wrench, diffusion cover.

40V Max XGT Brushless Vacuum Sweeper VS001G

No Load Speed Main brush	500rpm	Cleaning capacity	2,600 m² per hour
Standard mode	350rpm	Cleaning width	480mm
Quiet mode		Cleaning width with side brush	650mm
No Load Speed Side brush	160rpm	Dust type	Dry only
Standard mode	115rpm	Net Weight	29.9 - 44.0kg
Quiet mode			
Dust collection volume	15.6L		
Dust container capacity	24L		
Continuous run time	200 mins with two 8.0Ah batteries standard mode		


2 SPEED SETTING
ANTI-RESTART FUNCTION
MODE MEMORY FUNCTION



Model Versions
VS001GZ Body Only

40V Max XGT Brushless Earth Auger DG001G

No Load Speed (High)	0-1,500 rpm
No Load Speed (Low)	0 - 400 rpm
Chuck Capacity	2 - 13mm
Max Drilling Capacity	200mm
Capacity (High resistance soil)	150mm
Capacity (Low resistance soil)	200mm
Max Torque (H/L)	55 / 136Nm
Net Weight	7.2 - 8.1Kg



Model Versions
DG001GZ05 Body Only

STANDARD EQUIPMENT: Chuck key, hex wrench, adaptor x2.

40V Max XGT Brushless Hedge Trimmers

UH004G
UH005G

Blade Length	UH004G: 60cm UH005G: 75cm	SHARP EDGE CURVED BLADE: IDEAL FOR TRIMMING
No Load Speed (Lo/Med/Hi)	2,000 / 3,600 / 5,000 spm	
Blade Type	Double Sided	
Max Blade Opening	23.5mm	
Max Cutting Capacity	10mm	
Net Weight	UH004G: 4.3 - 4.9kg UH005G: 4.5 - 5.1kg	



Model Versions

UH004GD201 2x 2.5Ah
UH004GZ Body Only
UH005GD201 2x 2.5Ah
UH005GZ Body Only

STANDARD EQUIPMENT: Fast charger, battery cartridges, blade cover.

40V Max XGT Brushless Hedge Trimmers

UH006G
UH007G

Blade Length	UH006G: 60cm UH007G: 75cm	SHARP EDGE BLADE: IDEAL FOR ROUGH CUT
No Load Speed (Lo/Med/Hi)	2,000 / 3,000 / 4,000 spm	
Blade Type	Double Sided	
Max Blade Opening	25mm	
Max Cutting Capacity	10mm	
Net Weight	UH006G: 4.4 - 5.0kg UH007G: 4.6 - 5.2kg	



Model Versions

UH006GD201 2x 2.5Ah
UH006GZ Body Only
UH007GZ Body Only

STANDARD EQUIPMENT: Fast charger, battery cartridges, blade cover.

40V Max XGT Brushless Hedge Trimmers

UH013G
UH014G

Blade Length	UH013G: 60cm UH014G: 75cm
No Load Speed (Lo/Med/Hi)	2,000 / 3,600 / 5,000 spm
Blade Type	Single sided
Max Blade Opening	23.5mm
Max Cutting Capacity	10mm
Net Weight	UH013G: 3.9-4.5kg UH014G: 4.0-4.7kg



Model Versions

UH013GD202 2x 2.5Ah
UH013GZ Body Only
UH014GD202 2x 2.5Ah
UH014GZ Body Only

STANDARD EQUIPMENT: Fast charger, battery cartridges, blade cover, chip receiver.

40V Max XGT Brushless Hedge Trimmers

UH020G
UH021G

Max output power	460W	ANTI-RESTART
No Load Speed	2,100cpm	
Cutting strokes per minute	4,200spm	
Blade length	UH020G: 500mm UH021G: 600mm	
Max cutting capacity	10mm	
Max blade opening	20mm	
Net Weight	UH020G: 3.0-4.2kg UH021G: 3.1-4.3kg	



Model Versions

UH020GZ Body Only
UH021GZ Body Only

STANDARD EQUIPMENT: Blade cover.

40V Max XGT Brushless Pole Hedge Trimmer

UN001G

Max output	860W	2.2 METERS LONG
No load speed	1,000 / 1,500 / 2,000cpm	
Cutting strokes per minute	2,000 / 3,000 / 4,000spm	ANTI-RESTART
Blade length	600mm	
Max cutting capacity	10mm	
Max blade opening	25.0mm	
Net Weight	4.7 - 5.9kg	

**HEAD ANGLES FROM 45°-70°
180° FOLDABLE FOR STORAGE**



Model Versions

UN001GZ Body Only

STANDARD EQUIPMENT: Shoulder harness, Blade cover.

40V Max XGT Brushless Pruning Saw 150mm

UC029G

Chain speed	8.0 m/s	TOOL-LESS CHAIN CHANGE
Bar length	150 mm	
Chain pitch	0.325"	
Chain Gauge	1.1 mm	
Saw chain type	80 TXL	
Chain number of links	32	
Oil tank capacity	55 ML	
Net Weight	2.1-2.4 kg	



Model Versions

UC029GZ02 Body Only + Case

STANDARD EQUIPMENT: File set, oil vessel set, guide bar case, carry case.

40V Max XGT Brushless Lawnmower

LM001G

Max output	1,900W
No Load Speed:	
Standard Mode	3,200rpm
Soft No-Load Mode	2,500 – 3,200rpm
Cutting Width	480mm
Height Adjustment	
	20 – 100 mm (10 stages)
Box Capacity	62L
Net Weight	28.0 – 33.0kg

RECOMMENDED FOR LAWNS OF UP TO 2,100M²



Model Versions

LM001GT204 2x 5.0Ah

LM001GZ Body Only

STANDARD EQUIPMENT: Fast charger, battery cartridges, rod, mulching plug, discharge chute, wrench.

40V Max XGT Brushless Lawnmower

LM002G

Max output	1,900 W
No Load Speed:	
Standard Mode	2,800 rpm
Soft No-Load Mode	2,300 – 2,800 rpm
Cutting Width	534 mm
Height Adjustment	
	20 – 100 mm (10 stages)
Box Capacity	70 L
Net Weight	29.3 – 34.5kg

RECOMMENDED FOR LAWNS OF UP TO 2,500M²



Model Versions

LM002GT204 2x 5.0Ah

LM002GZ Body Only

STANDARD EQUIPMENT: Fast charger, battery cartridges, rod, mulching plug, discharge chute, wrench.

40V Max XGT Lawnmower

LM003G

Max output	740W
	(with an 8.0 Ah battery)
No Load Speed	3,800 rpm
Cutting Width	380mm
Height Adjustment	20 – 75 (8 stages)
Box Capacity	40L
Net Weight	14.9 – 17.3kg

RECOMMENDED FOR LAWNS OF UP TO 780M²



Model Versions

LM003GM103 1x 4.0Ah

LM003GZ Body Only

STANDARD EQUIPMENT: Fast charger, battery cartridge, mulching plug, box wrench.

40V Max XGT Lawnmower

LM004G

Max output	740W
	(with an 8.0 Ah battery)
No Load Speed	3,800 rpm
Cutting Width	430mm
Height Adjustment	20 – 75 (8 stages)
Box Capacity	50L
Net Weight	15.6 – 18.2kg

RECOMMENDED FOR LAWNS OF UP TO 830M²



Model Versions

LM004GM103 1x 4.0Ah

LM004GZ Body Only

STANDARD EQUIPMENT: Fast charger, battery cartridge, mulching plug, box wrench.

40V Max XGT Brushless Scarifier

UV001G

Max output	1,700 W
No Load Speed	3,200 rpm
Working width	380 mm
Working depth	+5 to -12 mm
Handle Height Adjustment	2 stages
Collection container capacity	50L
Net Weight	18.7 – 23.8kg

RECOMMENDED FOR LAWNS OF UP TO 510M²



Model Versions

UV001GM201 2x 4.0Ah

UV001GZ Body Only

STANDARD EQUIPMENT: Fast charger, battery cartridges, Thatching blade, box wrench.

18V & 36V LXT MOST VERSATILE SYSTEM OVER 480 PRODUCTS



18V x2 (36V) LXT Brushless Chainsaw

DUC305/
355/405

Max Output	1,100W	Chain Speed	0-20 m/s
Bar Length	305: 30cm	Oil Tank Capacity	200ml
	355: 35cm / 405: 40cm	Net Weight	305: 4.6-5.3kg
Chain Pitch & Gauge	3/8" / 0.043"		355: 4.7-5.4kg / 405: 4.8-5.5kg



AUTOMATIC CHAIN OILING

Model Versions

- DUC305PG2 2x 6.0Ah
- DUC305PT2 2x 5.0Ah
- DUC305Z Body Only
- DUC355PG2 2x 6.0Ah
- DUC355PT2 2x 5.0Ah
- DUC355Z Body Only
- DUC405PG2 2x 6.0Ah
- DUC405PT2 2x 5.0Ah
- DUC405Z Body Only

STANDARD EQUIPMENT: Fast charger, battery cartridges, saw chain, guide bar, chain cover, oil supply, box wrench.



18V x2 (36V) LXT Brushless Chainsaw

DUC353

Max Output	1,100W	AUTOMATIC CHAIN OILING
Bar Length	35cm	TOOL-LESS CHAIN CHANGE
Chain Pitch	3/8"	
Chain Gauge	0.043"	
Chain Speed	0-20 m/s	
Oil Tank Capacity	200ml	
Net Weight	4.6-5.5kg	



Model Versions

- DUC353PG2 2x 6.0Ah
- DUC353PT2 2x 5.0Ah
- DUC353Z Body Only

STANDARD EQUIPMENT: Fast charger, battery cartridges, Saw Chain, Guide Bar, Guide Bar Cover, Oil supply.



18V LXT Brushless Chainsaw

DUC307
DUC357

Max Output	610 W	Chain Speed	7.7 m/s
Bar Length	DUC305: 300mm	Oil Tank Capacity	150 ml
	DUC357: 350mm	Net Weight	4.2 - 4.4Kg
Chain Type	DUC305: 90PX		
	DUC357: 90/91 PX		
Chain Pitch	3/8"	TOOL-LESS CHAIN CHANGE	
Chain Gauge	DUC307: 1.1 mm		
	DUC357: 1.1 - 1.3mm		



Model Versions

- DUC357RT 1x 5.0Ah
- DUC357Z Body Only
- DUC307RTX2 1x 5.0Ah
- DUC307ZX2 Body Only

STANDARD EQUIPMENT: Fast charger, battery cartridge, Oil supply, Guide bar, Chain cover, Saw chain.



18V LXT Brushless Top Handle Chainsaw

DUC254

Max Output	570W
Bar Length	25cm
Chain Pitch	3/8"
Chain Gauge	0.043"
Chain Speed	0-24m/s
Oil Tank Capacity	140ml
Net Weight	2.8-3.3kg

AUTOMATIC CHAIN OILING



Model Versions

DUC254RT 1x 5.0Ah
DUC254Z Body Only

STANDARD EQUIPMENT: Fast charger, battery cartridges, Chain cover, guide bar, saw chain, wrench, oil set, accessory bag.



TO BE USED BY TRAINED TREE SURGEONS ONLY

18V x2 (36V) LXT Brushless Top Handle Chainsaw

DUC256
DUC306

Bar Length	DUC256/256C: 25cm DUC256: 30cm	Chain Gauge	DUC256/306: 0.043" DUC256C: 0.050"
Bar Type	DUC256/306: Sprocket DUC256C: Carving	Chain Speed	0 - 20 m/s
Chain Pitch	DUC256/306: 3/8" DUC256C: 1/4"	Net Weight	DUC256/306: 4.6-5.1kg DUC256CZ: 4.6-4.8kg



Model Versions

DUC256Z Body Only
DUC256CZ Body Only
DUC306PG2 2x 6.0Ah
DUC306PT2 2x 5.0Ah
DUC306Z Body Only

STANDARD EQUIPMENT: Fast charger, battery cartridges, Saw Chain, Guide Bar, Guide Bar Cover, Spike Bumper. DUC256C: 25mm Carving bar and chain



TO BE USED BY TRAINED ARBORISTS ONLY

18V LXT Brushless Telescopic Pole Saw

DUA200

Max output Power	260W
No Load chain speed	6.7m/s
Bar length	200mm
Chain pitch	0.325"
Chain gauge	1.1mm
Saw chain type	80TXL
Oil tank capacity	55ml
Net weight	3.2-3.5 kg

**OVERALL LENGTH 2.5M METERS
HEAD ANGLE 60° LEFT AND RIGHT**



BREAKS DOWN INTO 3 PARTS



Model Versions

DUA200RT 1x 5.0Ah
DUA200Z Body Only

STANDARD EQUIPMENT: Battery cartridge, fast charger, guide bar, saw chain, oil supply, band assembly.



18V x2 (36V) LXT Brushless Telescopic Pole Saw

DUA301

Max output Power	1,000 W
No Load chain speed	0-20 m/s
Bar length	300mm
Chain pitch	3/8"
Chain gauge	0.050"
Saw chain type	91PX-46
Oil tank capacity	160ml
Net weight	7.8 - 8.5kg



OVERALL LENGTH (EXCLUDING CHAIN BAR) 2.6 - 3.8M METERS



Model Versions

DUA301PG2 2x 6.0Ah
DUA301PT2 2x 5.0Ah
DUA301Z Body Only

STANDARD EQUIPMENT: Fast charger, battery cartridges, saw chain, wrench, hex wrench, band assembly, guide bar, chain protection cover, round file, oil supply, lubricant.



18V x2 (36V) LXT Brushless Earth Auger

DDG460

No Load Speed (High)	0-1,400 rpm
No Load Speed (Low)	0-350 rpm
Chuck Capacity	2-13mm
Max Drilling Capacity	200mm
Capacity (High resistance soil)	150mm
Capacity (Low resistance soil)	200mm
Max Torque (H/L)	48 / 136Nm
Net Weight	7.3-8.2kg



Model Versions

DDG460T2X7 2x 5.0Ah
DDG460Z X7 Body Only

STANDARD EQUIPMENT: Fast charger, battery cartridges, Chuck key, Hex wrench, Adaptor x2.

18V x2 (36V) LXT Brushless Split-Shaft DUX60

No Load Speed (Hi) 0 - 9,700 rpm
 No Load Speed (Med) 0 - 8,200 rpm
 No Load Speed (Lo) 0 - 5,700 rpm
 Max Output 600 W
 Net Weight 4.1-8.7kg

191F65-0 IS NOT COMPATIBLE WITH DUX60 MACHINES WITH SERIAL NUMBER LOWER THAN 85630 AND ENDING IN Y



Model Versions
 DUX60PG2 2x 6.0Ah
 DUX60Z Body Only

STANDARD EQUIPMENT: Fast charger, battery cartridge, shoulder strap, hex wrench, safety goggles, accessory bag.



18V LXT Brushless Split-Shaft DUX18

No Load Speed (Hi) 0 - 9,700 rpm
 No Load Speed (Lo) 0 - 6,800 rpm
 Max Output 470W
 Net Weight 2.8 - 10.3kg

198768-1 AND 198779-6 ARE NOT COMPATIBLE WITH THE DUX18



Model Versions
 DUX18RT 1x 5.0Ah
 DUX18Z Body Only

STANDARD EQUIPMENT: Fast charger, battery cartridge, shoulder strap, hex wrench, accessory bag.



Brush Cutter	Brush Cutter	Linetrimmer	Linetrimmer
198768-1 / EM404MP	191N31-5 / EM408MP	198779-6 / EM406MP	191N49-6 / EM409MP



Extension Pole	Pole Saw	Hedge Trimmer	Hedge Trimmer
191E24-8 / LE400MP	191T38-7 / EY403MP	196256-2 / EN401MP	1912T8-8 / EN402MP



Blower	Blower	Blower	Blower
191F65-0 / UB400MP	191P72-3 / UB401MP	1912R8-4 / UB402MP	UB403MP



Scissors	Cultivator	Edging Tool	Weeding Tool
191M56-3 / EM407MP	195711-1 / KR400MP	196752-0 / EE400MP	1913P8-6 / WA400MP



Ground Trimmer	Ground Trimmer	Power Brush	Sweeper
1912T0-4 / EN422MP	1913C9-3 / EN424MP	199318-5 / BR400MP	199339-7 / SW400MP



Snow Blower	Water Pump
SN400MP	198768-1 / EM404MP



36V LXT Connect X Brushless Brush Cutter

UR101C

Max Output	1,000W
Speed Settings	3-speed + ADT mode
No Load Speed	0-4,600/ 0-5,500/ 0-7,000 rpm
Spindle Size	M10 x 1.25 L
Cutting Diameter	430mm
Net Weight	5.2kg

POWERED BY BACK PACK POWER SUPPLY ONLY (SEE PAGE 7)



BL MOTOR
ADT AFT
CONNECT X



Model Versions

UR101CX1 Includes PDC1200A02

UR101CZ Body Only

STANDARD EQUIPMENT: Harness, Metal 2-tooth blade, Plastic blade, Nylon cutting head, Blade guard, Box wrench, Hex wrench, Accessory bag

36V LXT Connect X Brushless Linetrimmer

UR201C

Max Output	1,000W
Speed Settings	3-speed + ADT mode
No Load Speed	0-4,600/ 0-5,500/ 0-7,000 rpm
Spindle Size	M10 x 1.25 L
Cutting Diameter	430mm
Net Weight	4.7kg

POWERED BY BACK PACK POWER SUPPLY ONLY (SEE PAGE 7)



BL MOTOR
ADT AFT
CONNECT X



Model Versions

UR201CX1 Includes PDC1200A02

UR201CZ Body Only

STANDARD EQUIPMENT: Harness, Metal 2-tooth blade, Plastic blade, Nylon cutting head, Blade guard, Box wrench, Hex wrench, Accessory bag

18V x2 (36V) LXT Brushless Brush Cutter

DUR369A

Max Output	1,000W
Speed Settings	3-speed + ADT mode
No Load Speed (L/M/H)	0-4,600/ 0-5,500/ 0-7,000 rpm
Spindle Size	M10 x 1.25 L
Cutting Diameter	430mm
Net Weight	5.9 - 6.5kg

ADT
BL MOTOR
AFT
LXT LXT 36V
18V + 18V



Model Versions

DUR369APG2 2x 6.0Ah

DUR369APT2 2x 5.0Ah

DUR369AZ Body Only

STANDARD EQUIPMENT: Fast charger, battery cartridges, harness, Metal 2-tooth blade, Plastic blade, Nylon cutting head, Blade guard, Box wrench, Hex wrench, Accessory bag

18V x2 (36V) LXT Brushless Linetrimmer

DUR369L

Max Output	1,000W
Speed Settings	3-speed + ADT mode
No Load Speed (L/M/H)	0-4,600/ 0-5,500/ 0-7,000 rpm
Spindle Size	M10 x 1.25 L
Cutting Diameter	430mm
Net Weight	5.7 - 6.3kg

ADT
BL MOTOR
AFT
LXT LXT 36V
18V + 18V



Model Versions

DUR369LZ Body Only

STANDARD EQUIPMENT: Fast charger, battery cartridges, Harness, Metal 2-tooth blade, Plastic blade, Nylon cutting head, Blade guard, Box wrench, Hex wrench, Accessory bag

18V x2 (36V) LXT Brushless Brush Cutter

DUR368A

Max Output	550W
Speed Settings	3-speed + ADT mode
No Load Speed (L/M/H)	3,500 / 5,300 / 6,500 rpm
Spindle Size	M10 x 1.25 L
Cutting Diameter	350mm (Nylon line head)
Net Weight	4.1-4.7kg

ADT
BL MOTOR
AFT
LXT LXT 36V
18V + 18V



Model Versions

DUR368APG2 2x 6.0Ah

DUR368APT2 2x 5.0Ah

DUR368AZ Body Only

STANDARD EQUIPMENT: Fast charger, battery cartridges, Safety goggles, nylon cutting head, accessory bag, hex wrench, box driver, shoulder belt.

18V x2 (36V) LXT Brushless Linetrimmer

DUR368L

Max Output	550W
Speed Settings	3-speed + ADT mode
No Load Speed (L/M/H)	3,500 / 5,300 / 6,500 rpm
Spindle Size	M10 x 1.25 L
Cutting Diameter	350mm (Nylon line head)
Net Weight	3.9-4.5kg

ADT
BL MOTOR
AFT
LXT LXT 36V
18V + 18V



Model Versions

DUR368LZ Body Only

STANDARD EQUIPMENT: Fast charger, battery cartridges, nylon cutting head, accessory bag, hex wrench, box driver, shoulder belt.

18V LXT Brushless Linetrimmer

DUR190L
DUR191L

Max Output	240W
Speed Settings	3-speed + ADT mode
No Load Speed (L/M/H)	3,500/ 5,100/ 6,000rpm
Cutting Diameter	300mm (Nylon line head)
Spindle Size	M10 x 1.25 L
Net Weight	DUR190L: 2.9-3.2kg DUR191L: 3.2-3.5kg

DUR191L: 2-PART DESIGN FOR EASY STORAGE AND TRANSPORT



Model Versions

- DUR190LT10 1x 5.0Ah
- DUR190LZX9 Body Only
- DUR191LZX9 Body Only

STANDARD EQUIPMENT: Fast Charger, battery cartridge, shoulder strap, hex wrench, nylon cutting head, accessory bag.



18V LXT Brushless Brush Cutter

DUR190U
DUR191U

Max Output	240W
Speed Settings	3-speed + ADT mode
No Load Speed (L/M/H)	3,500/ 5,100/ 6,000rpm
Cutting Diameter	300mm (Nylon line head)
Spindle Size	M10 x 1.25 L
Net Weight	DUR190U: 3.1-3.4kg DUR191U: 3.4-3.7kg


DUR191U: 2-PART DESIGN FOR EASY STORAGE AND TRANSPORT



Model Versions

- DUR190UZ9 Body Only
- DUR191UZ3 Body Only

STANDARD EQUIPMENT: Fast Charger, battery cartridge, shoulder strap, hex wrench, nylon cutting head, accessory bag.



18V LXT Brushless Linetrimmer

DUR192L

Max Output	460W
Speed Settings	2-Speed
No Load Speed (L/H)	0- 4,500 / 0 - 6,000 rpm
Spindle Size	M10 x 1.25 L
Cutting Diameter	300mm
Net Weight	2.7 - 3.0 kg

2-PART DESIGN FOR EASY STORAGE AND TRANSPORT



Model Versions

- DUR192LRT 1x 5.0Ah
- DUR192LZ Body Only

STANDARD EQUIPMENT: Fast charger, battery cartridge, nylon cutting head, hex wrench, shoulder belt.



18V LXT Linetrimmer

DUR194

Max Output	230W
Speed Settings	2-Speed
No Load Speed (L/H)	0- 4,500 / 0 - 6,000 rpm
Spindle Size	M10 x 1.25 L
Cutting Diameter	280mm
Net Weight	2.6 - 2.9 Kg



Model Versions

- DUR194RTX2 1x 5.0Ah

STANDARD EQUIPMENT: Fast charger, Battery cartridge, Band Assembly, Hex wrench, Box driver, Trimmer head assembly



18V LXT Brushless Linetrimmer

DUR189

Max Output	240W
Speed Settings	3-Speed + ADT Mode
No Load Speed (L/M/H)	4,000 / 5,000 / 6000rpm
Spindle Size	M8 x 1.25RH
Cutting Diameter	300mm
Net Weight	3.0-3.3kg



Model Versions

- DUR189RT 1x 5.0Ah
- DUR189Z Body Only

STANDARD EQUIPMENT: Fast charger, battery cartridges, Single harness, nylon cutting head, accessory bag, hex wrench.



18V LXT Linetrimmer

DUR193

No Load Speed	7,800 rpm	EDGER FUNCTION
Cutting Diameter	260 mm	
Cord feed system	Bump & Feed	
Nylon cord	1.65 mm	
Shaft adjustment range	190 mm	
Net Weight	2.3 - 2.6 Kg	

Model Versions

- DUR193RT 1x 5.0Ah
- DUR193Z Body Only

STANDARD EQUIPMENT: Fast charger, battery cartridge, Nylon cutting head, Shoulder belt



18V LXT Brushless Blower & Vacuum DUB187

Vacuum Mode

Max Air Volume	6.1 m ³ /min
Max sealed suction	3.3 kPa
Dust bag capacity	25L
Net Weight	3.7 – 4.0 Kg

Blower Mode

Max Air Volume	4.2 m ³ /min
Max Air Velocity	64.0 m/sec
No Load Speed	9,000 – 13,500 rpm
Net Weight	3.7 – 4.0 Kg

BLOWER AND VACUUM MODE



Model Versions

DUB187Z Body Only

STANDARD EQUIPMENT: Collection bag, shoulder harness



18V LXT Brushless Blower DUB184

No Load Speed	0-18,000rpm
Max. Air Volume	13.0 m ³ /min
Max. Air Velocity	52.1 m/s
Run time (6.0Ah)	12mins
Net Weight	2.5-3.0kg



Model Versions

DUB184RT 1x 5.0Ah

DUB184Z Body Only

STANDARD EQUIPMENT: Fast charger, battery cartridges, Shoulder belt, nozzle, hex wrench.



18V x2 (36V) LXT Brushless Blower DUB363

No Load Speed	0 - 7,850rpm
Max Air Volume	13.4 m ³ /min
Max Air Velocity	65 m/s
Net Weight	4.5 – 6.6kg

VACUUM ATTACHMENT KIT

The DUB363 can be converted into vacuum using the kit which includes a 2 piece nozzle, collection bag and shoulder strap.



Model Versions

DUB363PT2V 2x 5.0Ah

DUB363PG2V 2x 6.0Ah

DUB363ZV Body Only

STANDARD EQUIPMENT: Fast charger, battery cartridges, vacuum kit, flat nozzle, end nozzle, pipe, shoulder belt, hex wrench.



36V LXT Connect X Brushless Blower UB001C

No Load Speed	0 - 21,000rpm
Cruise control mode	0 – 21,000rpm
Boost mode	24,000rpm
Max Air Volume	0 – 15 m ³ /min
Cruise control mode	17.6 m ³ /min
Boost mode	17.6 m ³ /min
Max Air Velocity	0 – 60 m/sec
Cruise control mode	70 m/sec
Boost mode	70 m/sec
Net weight	2.6 – 2.9kg



Model Versions

UB001CX2 Includes PDC1200A02

UB001CZ Body Only

STANDARD EQUIPMENT: Shoulder strap, Nozzle assembly.



18V x2 (36V) LXT Brushless Blower DUB362

No load speed	11,400 – 21,500 rpm
Max air volume	6.9 – 13.4 m ³ /min
Max air velocity	27-54 m/s
Net weight	3.5-4.2kg

6 AIR VOLUME/VELOCITY SETTINGS
LOCK ON FUNCTION
BATTERY FUEL GAUGE



Model Versions

DUB362PG2 2x 6.0Ah

DUB362PT2 2x 5.0Ah

DUB362Z Body Only

STANDARD EQUIPMENT: Fast charger, battery cartridges, Long nozzle, shoulder strap.



36V LXT Connect X Brushless Blower UB003C

No Load Speed	4,000 – 10,600rpm
	4,000 – 17,700rpm
	4,000 – 22,100rpm
Max Air Volume	2.9 – 8.2 m ³ /min
	2.9 – 13.9 m ³ /min
	2.9 – 17.6 m ³ /min
Max Air Velocity	86.0 m/sec
Net Weight	2.8 – 3.1Kg

POWERED BY BACK PACK POWER SUPPLY ONLY (SEE PAGE 7)



Model Versions

UB003CZ Body Only

STANDARD EQUIPMENT: Shoulder strap, Nozzle assembly.



18V LXT Blower DUB186

Max Air Volume	3.2m³/min
Max Air Velocity	68 m/sec
No Load Speed	0 – 18,000rpm
Net Weight	1.6-2.1kg



Model Versions

- DUB186RT** 1x 5.0Ah
- DUB186Z** Body Only

STANDARD EQUIPMENT: Fast charger, battery cartridge, garden nozzle.



36V LXT Connect X Brushless Backpack Blower UB002C

No Load Speed	0 – 22,000 rpm
Blowing Force	0 – 22.0N
Max Air Volume:	
With End nozzle 82	0 – 19.0 m³ /min
With Flat nozzle	0 – 17.9 m³ /min
Max Air Velocity:	
With End nozzle 82	0 – 71.7 m/sec
With Flat nozzle	0 – 76.0 m/sec
Net Weight	15.9 – 16.1kg

**POWERED BY BACK
PACK POWER SUPPLY
ONLY (SEE PAGE 7)**

ANTI-RESTART FUNCTION



Model Versions

- UB002CX3** Includes PDC1200A02
- UB002CZ** Body Only

STANDARD EQUIPMENT: Adaptor pipe.



36V LXT Connect X Brushless Backpack Blower UB004C

No Load Speed	0 - 10,500 / 18,000 / 22,500rpm
Blowing Force	0 - 5 / 15 / 25N
Max Air Volume	0 - 8.5 / 15.2 / 19.7m³/min
Max Air Velocity	0 - 33.2 / 59.0 / 76.3m/sec
Average air velocity	0 - 27.3 / 49.1 / 63.8m/sec
Net Weight	16.5 - 18.6kg

**POWERED BY BACK
PACK POWER SUPPLY
ONLY (SEE PAGE 7)**

**ANTI-RESTART FUNCTION
BOOST MODE
CRUISE CONTROL
LOCK-ON FUNCTION**



Model Versions

- UB004CZ** Body Only

STANDARD EQUIPMENT: Pipe support belt, end nozzle 74, flat nozzle.



18V LXT Brushless Hedge Trimmers DUH502/ 601/751

Blade length	DUH502Z: 50cm DUH601Z: 60cm DUH751Z: 75cm	Blade type	Double Sided
No load speed	Lo: 0-2,000spm Mid: 0-3,600spm Hi: 0-4,400spm	Max Blade Opening	DUH502Z: 23.5mm DUH601Z: 23.5mm DUH751Z: 23.5mm
		Max Cutting Capacity	10mm
		Net weight	3.8-4.5kg

**DUH601Z / DUH751Z:
LOW FRICTION BLADES FOR MORE
EFFICIENT CUTTING**



Model Versions

- DUH502RT** 1x 5.0Ah
- DUH502Z** Body Only
- DUH601RT** 1x 5.0Ah
- DUH601Z** Body Only
- DUH751RT** 1x 5.0Ah
- DUH751Z** Body Only

STANDARD EQUIPMENT: Fast charger, battery cartridges, Blade cover.



18V LXT Brushless Hedge Trimmers DUH604S DUH754S

Blade Length	DUH604S: 60cm DUH754S: 75cm
No Load Speed	2,000/ 3,600/ 4,400 spm
Blade Type	Single sided
Max Blade Opening	23.5mm
Max Cutting Capacity	10mm
Net Weight	3.4 – 3.9kg



Model Versions

- DUH604SRT** 1x 5.0Ah
- DUH604SZ** Body Only
- DUH754SRT** 1x 5.0Ah
- DUH754SZ** Body Only

STANDARD EQUIPMENT: Fast charger, battery cartridges, Blade Cover, Chip Receiver



18V LXT Brushless Hedge Trimmers DUH506 DUH606

Max output	320W	ANTI-RESTART
Blade length	DUH506: 500mm DUH606: 600mm	
Strokes per minute	4,000spm	
Max Blade Opening	20mm	
Max Cutting Capacity	10mm	
Net Weight	DUH506: 2.5 – 2.9Kg DUH606: 2.7 – 3.0 Kg	



Model Versions

- DUH506RT** 1x 5.0Ah
- DUH506Z** Body Only
- DUH606RT** 1x 5.0Ah
- DUH606Z** Body Only

STANDARD EQUIPMENT: Fast charger, battery cartridge, blade cover.



18V LXT Hedge Trimmers

DUH507
DUH607

Max output	250W
Blade length	DUH507: 500mm DUH607: 600mm
Strokes per minute	2,700spm
Max Blade Opening	15mm
Max Cutting Capacity	10mm
Net Weight	DUH507: 2.7 – 3.0Kg DUH607: 2.8 – 3.1 Kg



Model Versions

DUH507RT 1x 5.0Ah
DUH507Z Body Only
DUH607RT 1x 5.0Ah
DUH607Z Body Only

STANDARD EQUIPMENT: Fast charger, battery cartridge, blade cover.

18V LXT Hedge Trimmer

DUH523

No load speed	1,350spm
Blade length	520mm
Max Blade Opening	15mm
Net weight	3.0-3.4kg



Model Versions

DUH523Z Body Only

STANDARD EQUIPMENT: Blade cover, battery cover.

18V LXT Brushless Pole Hedge Trimmer

DUN500W

Blade Length	500mm
Strokes per Minute	2,000/ 3,600/ 4,400 spm
Max Blade Opening	23.5mm
Max Cutting Capacity	10mm
Overall Length	2,115 mm
Net Weight	3.9 – 4.3kg

2.1 METERS LONG

HEAD ANGLES FROM 45°-70°
180° FOLDABLE FOR STORAGE



Model Versions

DUN500WRTE 2x 5.0Ah
DUN500WZ Body Only

STANDARD EQUIPMENT: Fast charger, battery cartridges, Blade Cover, Shoulder Harness

18V LXT Pole Hedge Trimmer

DUN461W

Blade Length	460mm
Strokes per Minute	3,600spm
Max Blade Opening	18mm
Max Cutting Capacity	10mm
Overall Length	1,889-2,511mm
Net Weight	3.0-3.3kg

TELESCOPIC PIPE 1.9 - 2.5 METERS LONG

HEAD ANGLES FROM 60°-75°



Model Versions

DUN461WRT 1x 5.0Ah
DUN461WZ Body Only

STANDARD EQUIPMENT: Fast charger, battery cartridge, blade cover.

18V LXT Brushless Pole Hedge Trimmer

DUN600L

Blade Length	600mm
Strokes per Minute	2,000/ 3,600/ 4,400 spm
Max Blade Opening	23.5mm
Max Cutting Capacity	10mm
Overall Length	2,050 mm
Net Weight	3.7 – 4.1kg

2.05 METERS LONG



Model Versions

DUN600LRTE 2x 5.0Ah
DUN600LZ Body Only

STANDARD EQUIPMENT: Fast charger, battery cartridges, Blade Cover, Hex Wrench

12V Max CXT Pole Hedge Trimmer

UN460WD

Blade Length	460mm
Strokes per Minute	3,600spm
Max Blade Opening	18mm
Max Cutting Capacity	10mm
Overall Length	1,88-2,511mm
Net Weight	2.8-3.0kg

TELESCOPIC PIPE 1.9 - 2.5 METERS LONG

HEAD ANGLES FROM 60°-75°



Model Versions

UN460WDZ Body Only

STANDARD EQUIPMENT: Blade cover.

18V LXT Brushless Pruning Saw

DUC150

Max output power	320W
Chain speed	8.0 m/s
Bar length	150 mm
Chain pitch	0.325"
Chain Gauge	1.1 mm
Saw chain type	80 TXL
Chain number of links	32
Oil tank capacity	55 ML
Net Weight	1.7 - 2.0kg

TOOL-LESS CHAIN CHANGE



Model Versions

DUC150RT 1x 5.0Ah

DUC150Z Body Only

STANDARD EQUIPMENT: Fast charger, battery cartridge, guide bar, guide bar case, file guide and file, oil set, saw chain.



12V Max CXT Brushless Pruning Saw

UC100D

Max output power	210W
Chain speed	8.0 m/s
Bar length	100 mm
Chain pitch	0.325"
Chain Gauge	1.1 mm
Saw chain type	80 TXL
Chain number of links	26
Oil tank capacity	55 ML
Net Weight	1.5 - 1.6 kg

TOOL-LESS CHAIN CHANGE



Model Versions

UC100DWA 1x 2.0Ah

UC100DZ Body Only

STANDARD EQUIPMENT: Standard charger, battery cartridge, guide bar, guide bar case, file guide and file, oil set, saw chain.



18V LXT Brushless Pruning Shears

DUP180

Max Cutting Capacity	30mm
Max Blade Opening speed	0.3 secs
Net Weight	0.68kg



Model Versions

DUP180RT 1x 5.0Ah

DUP180Z Body Only

STANDARD EQUIPMENT: Fast charger, battery cartridge, holster, dressing stone set, oil supply, battery adapter, box wrench, hex wrench, carry case.



18V x2 (36V) LXT Pruning Shears

DUP362

Max Cutting Capacity	33mm
Max Blade Opening	54mm
Cutting Torque	250Nm
Net Weight	3.3-3.9kg

Model Versions

DUP362Z Body Only

STANDARD EQUIPMENT: Oil supply, wrench set, diamond file, cord holder, holster, harness, arm band, tool bag, shear blade.



18V x2 (36V) LXT Pruning Shears

DUP361

Max Cutting Capacity	33mm
Max Blade Opening	54mm
Cutting Torque	185Nm
Net Weight	3.3-3.8kg

Model Versions

DUP361ZN Body Only

STANDARD EQUIPMENT: Oil supply, wrench set, diamond file, cord holder, holster, harness, arm band, tool bag, shear blade.



12V Max CXT Brushless Pruning Shears

UP100D

Max Cutting Capacity	25 mm
Max Blade Opening speed	0.4 secs
Net Weight	1.1Kg

Body only machines do not come with a carry case.



Model Versions

UP100DSMJ 1x 4.0Ah

UP100DZ Body Only

STANDARD EQUIPMENT: Fast charger, battery cartridge, holster, dressing stone set, oil supply, box wrench, hex wrench, socket screw key, carry case.



18V LXT Backpack Garden Sprayer

DUS158Z

Max Pressure	0.5 MPa
Tank Capacity	15L
Hose Length	1.7 m
Spray Wand Length	0.6 m
Nozzle mounting thread	G 1/4
Net Weight	5.9 – 6.2 Kg
Max Net Weight filled	21.2 Kg



Model Versions

DUS158Z Body Only

STANDARD EQUIPMENT: Spray pipe holder, Shoulder harness, Y-shaped double nozzle, Wide angle herbicide nozzle, Measuring cup.

18V LXT Garden Sprayer

DUS054

Max pressure	0.3 MPa
Tank capacity	5L
Hose Length	1.7 m
Spray Wand length	0.5 – 0.7 m
Nozzle mounting thread	G ¼
Net weight	3.2 – 3.5kg



Model Versions

DUS054Z Body Only

STANDARD EQUIPMENT: H-Shaped double head nozzle, Spray wand, Spray wand holder, Shoulder belt.

12V Max CXT Garden Sprayer

US053D

Max pressure	0.3 MPa
Tank capacity	5L
Hose Length	1.7 m
Spray Wand length	0.5 – 0.7 m
Nozzle mounting thread	G ¼
Net weight	2.9 – 3.0kg



Model Versions

US053DZ Body Only

STANDARD EQUIPMENT: H-Shaped double head nozzle, Spray wand, Spray wand holder, Shoulder belt.

18V LXT Grass Shears

DUM111

Cycles per Minute	1,250 cpm
Strokes per Minute	2,500 spm
Cutting Width:	
Grass Shear blade	110mm
Hedge Trimmer	200mm
Cutting Heights	15, 20, 25mm
Net Weight	1.4 – 1.8kg

COMES WITH HEDGE TRIMMER ATTACHMENT



Model Versions

DUM111RTX 1x 5.0Ah

DUM111ZX Body Only

STANDARD EQUIPMENT: Fast charger, battery cartridges, blade cover.

18V LXT Grass Shears

DUM604

Cycles per minute	1,250cpm
Strokes per minute	2,500spm
Cutting Width	160mm
Cutting Heights	15, 20, 25mm
Net Weight	1.4-1.8kg

COMES WITH HEDGE TRIMMER ATTACHMENT



Model Versions

DUM604RTX 1x 5.0Ah

DUM604ZX Body Only

STANDARD EQUIPMENT: Fast charger, battery cartridges, Grass receiver, blade cover

12V Max CXT Grass Shears

UM600D

Cycles per minute	1,250 cpm
Strokes per minute	2,500 spm
Cutting Width	160mm
Cutting Heights	15, 20, 25mm
Net Weight	1.3-1.5kg

COMES WITH HEDGE TRIMMER ATTACHMENT



Model Versions

UM600DZX Body Only

STANDARD EQUIPMENT: Grass receiver, blade cover, hedge trimmer shear blade, chip receiver.

18V x2 (36V) LXT Brushless Wheelbarrow with Electric Lift DCU601

Max Loading Capacity	300kg on flat ground
Max Climbing Angle	180kg on a 12° slope
Forward Speed (3 speeds)	1.5 / 3.5 / 5.0 Km/h
Reverse Speed	1.0 Km/h
Net Weight	144 – 145kg



Model Versions

DCU601Z Body Only

STANDARD EQUIPMENT: Electric lift, clamp

18V x2 (36V) LXT Brushless Wheelbarrow with Dump Bucket DCU602

Max Loading Capacity	300kg on flat ground
Max Climbing Angle	180kg on a 12° slope
Forward Speed (3 speeds)	1.5 / 3.5 / 5.0 Km/h
Reverse Speed	1.0 Km/h
Net Weight	145 – 147kg



Model Versions

DCU602Z Body Only

STANDARD EQUIPMENT: Dump Bucket, clamp

18V x2 (36V) LXT Brushless Wheelbarrow with Pipe Frame DCU604

Max Loading Capacity	300kg on flat ground
Max Climbing Angle	180kg on a 12° slope
Forward Speed (3 speeds)	1.5 / 3.5 / 5.0 Km/h
Reverse Speed	1.0 Km/h
Net Weight	119 – 120kg



Model Versions

DCU604Z Body Only

STANDARD EQUIPMENT: Clamp

18V LXT Brushless Wheelbarrow DCU180

Max Loading Capacity	130 kg
Max Climbing Angle	12°
Forward Speed (Hi)	3.5km/h
Forward Speed (Lo)	1.5km/h
Reverse Speed	1.0km/h
Net weight (Machine only)	32.5kg
Net weight (Pipe frame)	44.5-44.8kg
Net weight (Bucket frame)	39.3-39.6kg

Optional Accessories:
Pipe Frame



Bucket Frame



Model Versions

DCU180PTX3 2x 5.0Ah + 199009-8 Pipe Frame

DCU180PTX4 2x 5.0Ah + 199008-0 Bucket Frame

DCU180PT2 2x 5.0Ah

DCU180Z Body Only

STANDARD EQUIPMENT: Wrench x2, support legs, lock key, fast charger, battery cartridges.

DCU180 Pipe Frame	DUC180 Bucket	DCU604/602/601 Pipe Frame	DCU604/602/601 Flat Bucket
199009-8	199008-0	191B67-2	1911B3-6



DCU604/602/601 Dump Bucket	DCU604/602/601 Dump Attachment
191B69-8	191B63-0



18V (Integrated Battery) Robotic Lawnmower

RM350D

No Load speed of blade	2,300 rpm	MAX. WORK AREA 3,500m²
No Load speed of wheels	41 rpm	
Max climbing angle	26 degrees	INTERGRATED BATTERY 18V 5.0AH LI-ION
Max mowing area	3,500 m ²	
Cutting width	240 mm	
Cutting height	20 – 60 mm	
Net Weight	13.7Kg	



Model Versions

RM350D 5.0Ah Integrated Battery

STANDARD EQUIPMENT: Charging station, boundry wire, guide wire.

18V LXT Lawnmower

DLM330

No Load Speed	4,300 rpm	RECOMMENDED FOR LAWNS OF UP TO 270m²
Max output	450 W	
Cutting Width	330mm	
Height Adjustment	20 -75mm	
Net Weight	11.6 – 12.5kg	



Model Versions

DLM330RT 1x 5.0Ah

DLM330Z Body Only

STANDARD EQUIPMENT: Fast Charger, battery cartridges, blade, wrench, mulching plug

18V x2 (36V) LXT Lawnmower

DLM382

No Load Speed	0 – 3,700rpm	RECOMMENDED FOR LAWNS OF UP TO 560m²
Blade Type	Rotary type 2 tooth	
Cutting Width	380mm	
Height Adjustment	20-75mm	
Collection box	40 litres	
Net Weight	16.2-16.9kg	



Model Versions

DLM382PG2 2x 6.0Ah

DLM382PT2 2x 5.0Ah

DLM382Z Body Only

STANDARD EQUIPMENT: Fast Charger, battery cartridges, blade, socket wrench. DLM382CT2 with standard charger.

18V x2 (36V) LXT Lawnmower

DLM432

No Load Speed	3,600rpm	RECOMMENDED FOR LAWNS OF UP TO 575m²
Blade Type	Rotary type 2 tooth	
Cutting Width	430mm	
Height Adjustment	20 – 75mm	
Collection Box	50 litres	
Net Weight	16.8 – 17.5kg	



Model Versions

DLM432PT2 2x 5.0Ah

DLM432Z Body Only

STANDARD EQUIPMENT: Blade, socket wrench.

18V x2 (36V) LXT Lawnmower

DLM480

No Load Speed	3,100 rpm	RECOMMENDED FOR LAWNS OF UP TO 800m²
Max output	860W	
Blade Type	2-tooth blade	
Cutting Width	480mm	
Height Adjustment	20 – 100mm (10 stages)	
Collection Box Capacity	62L	
Net Weight	24.5 – 26.8 Kg	



Model Versions

DLM480Z Body Only

STANDARD EQUIPMENT: Rod, Mulching plug, wrench.

18V x2 (36V) LXT Lawnmower

DLM481

No Load Speed	3,100 rpm	RECOMMENDED FOR LAWNS OF UP TO 650m²
Max output	860W	
Blade Type	2-tooth blade	
Cutting Width	480mm	
Height Adjustment	20 – 100mm (10 stages)	
Collection Box Capacity	62L	
Net Weight	27.1 – 29.3 Kg	



Model Versions

DLM481CT2 2x 5.0Ah

DLM481Z Body Only

STANDARD EQUIPMENT: Standard charger, battery cartridges, Rod, Mulching plug, wrench

18V x2 (36V) LXT Lawnmower DLM538

No Load Speed	3,000 rpm	RECOMMENDED FOR LAWNS OF UP TO 800m²
Max output	860W	
Blade Type	2-tooth blade	
Cutting Width	534mm	
Height Adjustment	20 – 100mm (10 stages)	
Collection Box	70L	
Net Weight	25.5 – 28.0kg	



Model Versions

DLM538Z Body Only

STANDARD EQUIPMENT: Blade, mulching plug, wrench, rod.



18V x2 (36V) LXT Lawnmower DLM539

No Load Speed	3,000 rpm	RECOMMENDED FOR LAWNS OF UP TO 700m²
Max output	860W	
Blade Type	2-tooth blade	
Cutting Width	534mm	
Height Adjustment	20 – 100mm (10 stages)	
Collection Box Capacity	70L	
Net Weight	27.9 – 30.4 Kg	



Model Versions

DLM539CT2 2x 5.0Ah

DLM539Z Body Only

STANDARD EQUIPMENT: Standard charger, battery cartridges, Rod, Mulching plug, wrench



18V x2 (36V) LXT Brushless Lawnmower DLM460

Max Output	1,450W	RECOMMENDED FOR LAWNS OF UP TO 800m²
No Load Speed	2,500-3,300rpm	
Cutting Width	460mm	
Blade Type	Rotary type 2 tooth	STEEL DECK
Height Adjustment	10 settings (20-75mm)	
Collection Box	60 litres	
Net Weight	25.3-27.6kg	



Model Versions

DLM460PG2 2x 6.0Ah

DLM460PT4 4 x 5.0Ah

DLM460Z Body Only

STANDARD EQUIPMENT: Battery cartridges, fast charger, socket wrench.



18V x2 (36V) LXT Brushless Lawnmower DLM462

No Load Speed	2,500 / 3,300 rpm	RECOMMENDED FOR LAWNS OF UP TO 1,900m²
Cutting Width	460mm	
Height Adjustment	20 – 100mm (10-step)	
Collection box	60L	STEEL DECK
Net Weight	35.3 – 39.0kg	



Model Versions

DLM462PT4 4x 5.0Ah

DLM462PG2 2x 6.0Ah

STANDARD EQUIPMENT: Fast charger, battery cartridges, Blade, Mulch plug, Socket Wrench, Rod

4 Batteries for extended run time
The mower will use 2 batteries at a time. When the first set goes flat turn the switch and keep mowing.



18V x2 (36V) LXT Brushless Lawnmower DLM530

No Load Speed	2,300 / 2,800 rpm	RECOMMENDED FOR LAWNS OF UP TO 2,300 m²
Cutting Width	534mm	
Height Adjustment	20 – 100mm (10-step)	
Collection box	70L	STEEL DECK
Net Weight	35.5 – 39.3kg	



Model Versions

DLM530PT4 4x 5.0Ah

DLM530PG2 2x 6.0Ah

DLM530Z Body Only

STANDARD EQUIPMENT: Fast charger, battery cartridges, Blade, Mulch plug, Side Discharge Mouth, Socket Wrench, Rod

4 Batteries for extended run time
The mower will use 2 batteries at a time. When the first set goes flat turn the switch and keep mowing.



18V x2 (36V) LXT Brushless Lawnmower DLM532

No Load Speed	2,300 / 2,800 rpm	RECOMMENDED FOR LAWNS OF UP TO 2,300m²
Cutting Width	534mm	
Height Adjustment	20 – 100mm (10-step)	
Collection box	70L	STEEL DECK
Net Weight	39.0 – 42.8kg	



Model Versions

DLM532PT4 4x 5.0Ah

DLM532PG2 2x 6.0Ah

DLM532Z Body Only

4 Batteries for extended run time
The mower will use 2 batteries at a time. When the first set goes flat turn the switch and keep mowing.



18V x2 (36V) LXT Brushless Lawnmower

DLM533

No Load Speed	2,300 / 2,800 rpm	RECOMMENDED FOR LAWNS OF UP TO 2,300m²
Cutting Width	534mm	
Height Adjustment	20 - 100mm (10-step)	ALUMINIUM DECK
Collection box	70L	
Net Weight	43.9 - 47.9 kg	



Model Versions

- DLM533PT4 4x 5.0Ah
- DLM533PG2 2x 6.0Ah
- DLM533Z Body Only

STANDARD EQUIPMENT: Fast charger, battery cartridges, Blade, Mulch plug, Socket Wrench, Rod

4 X 18V BATTERIES: DLM462/530/532/533

4 Batteries for extended run time
The DLM462, DLM530, DLM532, DLM533 have 2 battery banks. The mower will use 2 batteries at a time in series to power the 36V brushless motor. When one set of batteries run flat then simply turn the switch and keep mowing.



36V Brushless Motor



36V LXT Connect X Brushless Lawnmower

LM001C

No Load Speed	2,800rpm (normal mode) 2,300-2,800rpm (Soft no load mode) 2,300 rpm (Low noise mode)	APPROX. MOWING AREA WITH PDC1200 IN PUSH MODE: 6900m²
Cutting Width	534mm	
Height Adjustment	20-100mm (10-step)	APPROX. MOWING AREA WITH PDC01 EQUIPPED (4X 6.0AH BATTERIES) IN PUSH MODE: 2300m²
Collection box	70L	
Net Weight	42.1-49.5 kg	



Powered by Back Pack Power Supply Only (see page 7)



Model Versions

- LM001CX3 Includes PDC1200A02
- LM001CZ Body Only

STANDARD EQUIPMENT: Blade, mulch plug, side discharge mouth, socket wrench, rod.

LM001C WITH BACKPACK POWER SUPPLY

Quick Connect
LM001CZ connects straight to the PDC01 or PDC1200 via the standard plug.



The PDC01 or PDC1200 battery level can be checked on the side of each battery pack.



Electric Chainsaw

UC3541A/2
UC4041A/2

Input wattage	1,800W	AUTOMATIC CHAIN OILING TOOL-LESS BLADE CHANGE
Chain speed	14.5m/s	
Pitch, chain gauge	3/8", 0.050"	
Chain oil tank capacity	200ml	
Net weight	UC3541A: 4.7-4.8kg UC4041A: 4.8-4.9kg	



Model Versions

- UC3541A/2 35cm Bar 240V
- UC4041A/2 40cm Bar 240V

STANDARD EQUIPMENT: Guide bar, chain, chain protection cover, hook complete.

Electric Chainsaw

UC3551A
UC4051A

Input wattage 110V	1,570W	AUTOMATIC CHAIN OILING TOOL-LESS BLADE CHANGE
Input wattage 240V	2,000W	
Chain speed	14.5m/s	
Pitch, chain gauge	3/8", 0.050"	
Chain oil tank capacity	200ml	
Net weight	5.4-5.7kg	



Model Versions

- UC3551A/2 35cm Bar 240V
- UC4051A/1 40cm Bar 110V
- UC4051A/2 40cm Bar 240V

STANDARD EQUIPMENT: Guide bar, chain, chain protection cover, hook complete.

Electric Shredder

UD2500/2

Input wattage	2,500W
Max. branch Ø	45 mm
Cutting speed	40 rpm
Collection box capacity	67 litres
Net weight	27.6kg



Model Versions


- UD2500/2

STANDARD EQUIPMENT: 10m power lead.

Electric Hedge Trimmer

UH5580/6580
/7580

	UH5580	UH6580	UH7580
Input wattage	670W	670W	670W
Blade length	55cm	65cm	75cm
Max blade opening	18mm	18mm	18mm
Max cut capacity	10mm	10mm	10mm
Net weight	4.2kg	4.3kg	4.4kg



Model Versions

- UH5580/2
- UH6580/2
- UH7580/2

STANDARD EQUIPMENT: Blade cover, cord hook for waist belt, 10m lead.

Electric Hedge Trimmer

UH4570/5570
/6570

	UH4570	UH5570	UH6570
Input wattage	550W	550W	550W
Blade length	45cm	55cm	65cm
Max blade opening	18mm	18mm	18mm
Max cut capacity	10mm	10mm	10mm
Net weight	3.6kg	3.7-3.8kg	3.8-3.9kg



Model Versions

- UH4570/2
- UH5570/2
- UH6570/2

STANDARD EQUIPMENT: Blade cover, cord hook for waist belt, 10m lead.

Electric Linetrimmer

UR3000

Input wattage	450W
Cutting diameter	300mm
No load speed	9,000rpm
Net weight	2.6kg



Model Versions

- UR3000/2

STANDARD EQUIPMENT: Shoulder strap, spool assembly, safety glasses.

Electric Lawnmower

ELM4121X

Input Wattage	1,600W
No Load Speed	3,400rpm
Cutting Width	41cm
Cutting Heights	7 settings (20-75mm)
Collection Box	50 litres
Net Weight	17.5-19.1kg

**RECOMMENDED FOR LAWNS
OF UP TO 600Sm²**

STEEL DECK



Model Versions

ELM4121X

STANDARD EQUIPMENT: Wrench, mulch plug.



Electric Scarifier

UV3200

Rated voltage	230-240v~50-60Hz
Rated power	1300W
No load speed	3500/min
Working width	32cm
Working depth	-10~+10mm
Height adjustment	5 settings
Collection container capacity	30 litres
Net weight	12.0kg

**CAN BE USED WITH OR WITHOUT
COLLECTION BOX**



Model Versions

UV3200/2

STANDARD EQUIPMENT: 10m power lead.



Electric Lawnmower

ELM4621X

Input Wattage	1,800W
No Load Speed	2,950rpm
Cutting Width	46cm
Cutting Heights	8 settings (20-75mm)
Collection Box	60 litres
Net Weight	30.5-32.2kg

**RECOMMENDED FOR LAWNS
OF UP TO 1000m²**

STEEL DECK



Model Versions

ELM4621X

STANDARD EQUIPMENT: Wrench, mulch plug.



Electric Scarifier

UV3600

Rated voltage	230-240v~50-60Hz
Rated power	1800W
No load speed	3700/min
Working width	36cm
Working depth	-10~+5mm
Height adjustment	4 settings
Collection container capacity	40 litres
Net weight	15.3kg

**CAN BE USED WITH OR WITHOUT
COLLECTION BOX**



Model Versions

UV3600/2

STANDARD EQUIPMENT: 10m power lead.



MAKITAUK.COM

*Accessories shown are not necessarily supplied as standard equipment.
Prices and specification shown may change owing to our policy of constant improvement.
Subject to availability. E&OE.*